

## SW-2 COLOUR FASTNESS TO WASHING TESTER



AATCC WASH POT





**FANYUAN INSTRUMENT (HF) CO., LTD.**  
**DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.**  
 ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088  
 TEL: +86-551-65232508  
 FAX: +86-551-65232507  
 Email: [sales@hkdownell.com](mailto:sales@hkdownell.com)  
 Website: <http://www.fyichina.com.cn>

- Temperature accuracy ±2°C
- Power of heater 1000W
- Power supply: 220V
- Instrument dimension 520×250×540(mm) ( L×W×H)
- Weight: 30Kg

**Standard configuration:**

No.	Item	Quantity
1	Main machine	1 set
2	Wash pot(For ISO or AATCC or both, decided by customer)	4 pcs
4	Stainless steel ball ( ∅ 6mm)	50 pcs
5	O-shaped ring (For ISO or AATCC)	4 pcs

**Optional Accessories:**

No.	Item
1	Gray scale for ISO (Color change)
2	Gray scale for ISO (Color staining)
3	Gray scale for AATCC (Color change)
4	Gray scale for AATCC (Color staining)
5	Standard soap(CTA)
6	SDC detergent(phosphate containing)
7	Stainless steel ball(dia.6mm)
8	Thin stainless steel sheet For ISO 105D01
9	Multi-fiber Adjacent Fabric Style DW/10A, SDC for ISO 105-C06
10	Multi-fiber Adjacent Fabric Style TV for ISO 105-C06
11	Multi-fiber Fabric Style 1 for AATCC 61
12	Multi-fiber Fabric Style 10 for AATCC 61
13	Multi-fiber Fabric Style 10A for AATCC 61