



FANYUAN INSTRUMENT (HF) CO., LTD.
DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.
ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088
TEL: +86-551-65232508
FAX: +86-551-65232507
Email: sales@hkdowell.com
Website: <http://www.fyichina.com.cn>

PT7136 Plus Miele Professional Tumble Dryer





FANYUAN INSTRUMENT (HF) CO., LTD.
DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.
ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088
TEL: +86-551-65232508
FAX: +86-551-65232507
Email: sales@hkdownell.com
Website: http://www.fyichina.com.cn

MODEL NO.

PT7136 Plus

Application:

PT7136 Plus Miele Professional Tumble Dryer applies to dry clothes with the electronic controlled drying.

Related Standards:

STANDARDS

Features:

- Electronic controls with high-end liquid-crystal display;
- Drying programmes with different drying stages, 2 timed drying programmes and 9 special programmes;
- Simple navigation with multifunction selector;
- 4 direct-access keys to select favourites;
- Programme customization option;
- Multi-language user interface (21 languages available);
- Sensor drying;
- Countdown indicator;
- Drum lighting;
- Large-area filter;
- Optical PC interface, serial RS 232 interface, option for a coin mechanism connection;
- Patented honeycomb drum;
- Sensitive drying system with sensor drying technology;
- Robust spaceframe casing;
- Available in stainless steel or white;
- Vented system;
- Option to combine washing machine and tumble dryer as a stack.

Key Specification:

- Load ratio 6.5 kg



FANYUAN INSTRUMENT (HF) CO., LTD.
DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.
ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088
TEL: +86-551-65232508
FAX: +86-551-65232507
Email: sales@hkdownell.com
Website: http://www.fyichina.com.cn

-
- Drum volume 130 L
 - Heating electric
 - Test certificates VDE,EMV
 - Dimensions 850×595×700mm (H×W×D)
 - Weight 57.5kg

Standard configuration:

No.	Item	Quantity
1	Main machine	1set
2		

Optional Accessories:

No.	Item	Quantity
1		
2		