



WWW.FYICHINA.COM.CN

FANYUAN INSTRUMENT (HF) CO., LTD.
DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.
ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088
TEL: +86-551-65232508
FAX: +86-551-65232507
Email: sales@hkdownell.com
Website: http://www.fyichina.com.cn

DW9410 UPPER MATERIAL FLEXING TESTER





MODEL NO.

DW9410

Application:

DW9410 UPPER MATERIAL FLEXING TESTER is used to assess the tendency of all type of shoe upper materials such as leather, poromeric, plastic-coated fabric and upholstery coverings to crack or break as a result of flexing in wear.

Double crease similar to those formed in the upper of a boot during wear are generated repeatedly in specimens of polyurethane upper material by means of a suitable apparatus until cracking of the polyurethane upper material is observed or until the test piece survive a specified number of flexure cycles.

Related Standards:

STANDARDS	ISO 5423	SATRA PM25
------------------	----------	------------

Note: this tester can conform to but not limit to all the standards above, for more standards conformance, please contact us.

Features:

- Counter with 6 bit LCD display;
- Automatic stop when reach the preset cycle times;
- Easy installation and use;

Key Specification:

- Stroke 19±0.5mm
- Speed 300±30 cpm
- Test sheet 64×64mm
- Working position 6
- Fixture 40° V-shape 6.4mm(R)
- Counter LCD 0~999,999
- Power supply AC220V 50HZ 2.5A
- Dimensions 550mm×350mm×300mm(L×W×H)
- Weight 60kg



WWW.FYICHINA.COM.CN

FANYUAN INSTRUMENT (HF) CO., LTD.
DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.
ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088
TEL: +86-551-65232508
FAX: +86-551-65232507
Email: sales@hkdownell.com
Website: http://www.fyichina.com.cn

Standard configuration:

No.	Item	Quantity
1	Main machine	1 set

Optional Accessories:

No.	Item
1	
2	
3	