



WWW.FYICHINA.COM.CN

FANYUAN INSTRUMENT (HF) CO., LTD.
DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.
ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088
TEL: +86-551-65232508
FAX: +86-551-65232507
Email: sales@hkdownell.com
Website: <http://www.fyichina.com.cn>

DW9810 SHOELACE ABRASION TESTER





MODEL NO.

DW9810

Application:

DW9810 Shoelace Abrasion Tester is used to determine the abrasion resistance of shoe laces. Shoe laces are abraded by rubbing it backwards and forwards through crossing to each other under tension. The number of cycles required to break the shoe lace is determined.

Related Standards:

STANDARDS	DIN 4843	QB/T 2226	SATRA PM154
------------------	----------	-----------	-------------

Note: this tester can conform to but not limit to all the standards above, for more standards conformance, please contact us.

Key Specification:

- Specimen No. 4 groups
- Load 250±3g
- Speed of moving clamps 60cpm
- Stroke of moving clamps 35mm
- Max. distance between moving clamp and fixed clamp 310mm
- Motor DC brushless motor, 120W
- Display LCD, 0~999,999
- Specimen specification
 - Hooking angle 52.2°
 - Distance 120mm
- Dimensions 660mm×580mm×420mm(L×W×H)
- Weight approx. 66kg
- Power supply 220V, 50/60Hz single phase; 110V, 60Hz, single phase (as required)

Standard configuration:

No.	Item	Quantity
1	Main machine	1set



WWW.FYICHINA.COM.CN

FANYUAN INSTRUMENT (HF) CO., LTD.
DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.
ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088
TEL: +86-551-65232508
FAX: +86-551-65232507
Email: sales@hkdownell.com
Website: http://www.fyichina.com.cn

2	Weight	4pcs
3	Tools	1set
4	User manual	1copy

Optional Accessories:

No.	Item
1	ISO17025 Certificate (CNAS certificate)
2	